International Journal of Pharmaceutics, 57 (1989) 273–275
Elsevier

Author Index

Alexander, J., see Baillie, A.J. (57) 23
Allen, Jr., L.V., see Kale, N.J. (57) 87
Arima, H., Irie, T. and Uekama, K.
Differences in the enhancing effects of water soluble β-cyclodextrins on the release of ethyl 4-biphenylyl acetate, an anti-inflammatory agent from an oleaginous suppository base (57) 107

Babu, S.R., see Radebaugh, G.W. (57) 95
Baillie, A.J., Dolan, T.F., Alexander, J. and Carter, K.C.
Visceral leishmaniasis in the BALB/c mouse: sodium stibogluconate treatment during acute and chronic stages of infection (57) 23
Barry, B.W., see Goodman, M. (57) 29
Barry, B.W., see Williams, A.C. (57) R7
Bilbao-Revoredo, O., see Sutinen, R. (57) 155
Björnsdóttir, S., see Loftsson, T. (57) 63
Bodor, N., see Loftsson, T. (57) 63
Bondi, J.N., see Radebaugh, G.W. (57) 95
Burke, M., see Harron, D.W.G. (57) 9

Carlisi, B., see Giammona, G. (57) 55
Carter, K.C., see Baillie, A.J. (57) 23
Caruso, A., see Giammona, G. (57) 55
Chan, H.-K. and Grant, D.J.W.
Influence of compaction on the intrinsic dissolution rate of modified acetaminophen and adipic acid crystals (57) 117
Collado, E.F., see Garrigues, T.M. (57) 189
Conklin, J.D., see Wagner, D.L. (57) 177
Critchley, H., see Illum, L. (57) 49

Daniel, P.T., see Müller, C.E. (57) 41
Davies, M.C., Wilding, I.R., Short, R.D., Khan, M.A., Watts, J.F. and Melia, C.D.
An analysis of the surface chemical structure of polymethacrylate (Eudragit) film coating polymers by XPS (57) 183
Davis, S.S., see Illum, L. (57) 49
Deering, A., see Harron, D.W.G. (57) 9
Devine, S., see Harron, D.W.G. (57) 9
Dolan, T.F., see Baillie, A.J. (57) 23

Economou, P.T., see Issopoulos, P.B. (57) 235
El-Khordagui, L.K., see Saleh, A.M. (57) 205
Estelrich, J., see Hernández, J. (57) 211

Fabra-Campos, S., see Garrigues, T.M. (57) 189
Farraj, N.F., see Illum, L. (57) 49
Florence, A.T., see Saleh, A.M. (57) 205
Fujihara, Y., see Kaneo, Y. (57) 263
Fujita, K., see Kaneo, Y. (57) 263

Garrigues, T.M., Collado, E.F., Fabra-Campos, S., Pérez-Buendía, M.D., Martín-Villodre, A. and Plá-Delfina, J.M.
Absorption-partition relationships for true homologous series of xenobiotics as a possible approach to study mechanisms of surfactants in absorption. III. Aromatic amines and cationic surfactants (57) 189
Giammona, G., Puglisi, G., Carlisi, B., Pignatello, R., Spadaro, A. and Caruso, A.
Polymeric prodrugs: α,β-poly (*N*-hydroxyethyl)-DL-aspartamide as a macromolecular carrier for some non-steroidal anti-inflammatory agents (57) 55
Goodman, M. and Barry, B.W.
Lipid-protein-partitioning (LPP) theory of skin enhancer activity: finite dose technique (57) 29
Grant, D.J.W., see Chan, H.-K. (57) 117
Greaves, J.L., see Washington, N. (57) 17
Grove, J., see Rozier, A. (57) 163

Hailey, F.J., see Wagner, D.L. (57) 177
Hamaguchi, N., see Iga, K. (57) 241
Hanlon, G.W., see Wilkins, K.M. (57) 1
Harron, D.W.G., Liddle, J., Devine, S., Scott, M.G., Deering, A., Burke, M. and Shanks, R.G.
Pharmacokinetics and dynamics of a new formulation of slow release oxprenolol combined with triamterene and hydrochlorothiazide in healthy man (57) 9
Hashida, M., see Sakane, T. (57) 77
Hernández, J., Estelrich, J., Montero, M.T. and Valls, O.
Interaction between human serum albumin and liposomes: a monolayer and liposome study (57) 211
Holman, L.E. and Leuenberger, H.
Effect of compression speed on the relationship between normalised solid fraction and mechanical properties of compacts (57) R1
Holzschuh, J., see Müller, C.E. (57) 41

Iga, K., Hamaguchi, N., Igari, Y., Ogawa, Y., Toguchi, H. and Shimamoto, T.
Heat-specific drug release of large unilamellar vesicle as hyperthermia-mediated targeting delivery (57) 241
Igari, Y., see Iga, K. (57) 241
Iguchi, S., see Kaneo, Y. (57) 263

0378-5173/89/$03.50 © 1989 Elsevier Science Publishers B.V. (Biomedical Division)

Illum, L., Farraj, N.F., Critchley, H., Johansen, B.R. and Davis, S.S.
Enhanced nasal absorption of insulin in rats using lysophosphatidylcholine (57) 49
Irie, T., see Arima, H. (57) 107
Issopoulos, P.B. and Economou, P.T.
A sensitive colorimetric determination of microquantities of isonicotinic acid hydrazide (isoniazid) (57) 235

Johansen, B.R., see Illum, L. (57) 49
Juni, K., see Seki, T. (57) 73

Kale, N.J. and Allen, Jr., L.V.
Studies on microemulsions using Brij 96 as surfactant and glycerin, ethylene glycol and propylene glycol as cosurfactants (57) 87
Kaneo, Y., Fujihara, Y., Tanaka, T., Ogawa, K., Fujita, K. and Iguchi, S.
Preparation and characterization of a soluble glutathione-dextran conjugate (57) 263
Kawaguchi, T., see Seki, T. (57) 73
Kendall, A.T., Stark, E. and Sugden, J.K.
Effect of hydroxyl radicals on the stability of metronidazole in buffer solution at pH 9.2 (57) 217
Ketolainen, J., see Pesonen, T. (57) 139
Khan, M.A., see Davies, M.C. (57) 183
Kobe, J., see Kristl, A. (57) 229
Kosykh, V.A., Podres, E.A., Novikov, D.K., Volgushev, S.A., Victorov, A.V., Repin, V.S. and Smirnov, V.N.
Effects of khellin and timefurone on secretion and catabolism of lipoproteins by cultured rabbit and human hepatocytes (57) 223
Kovanen, A., see Sutinen, R. (57) 149
Kozjek, F., see Kristl, A. (57) 229
Kristl, A., Mrhar, A., Kozjek, F. and Kobe, J.
Lipophilicity of guanine derivatives (57) 229
Kunchandy, E. and Rao, M.N.A.
Effect of curcumin on hydroxyl radical generation through Fenton reaction (57) 173

Leuenberger, H., see Holman, L.E. (57) R1
Liddle, J., see Harron, D.W.G. (57) 9
Loftsson, T., Björnsdóttir, S., Pálsdóttir, G. and Bodor, N.
The effects of 2-hydroxypropyl-β-cyclodextrin on the solubility and stability of chlorambucil and melphalan in aqueous solution (57) 63
Lopez-Berestein, G., see Vadiei, K. (57) 125
Lopez-Berestein, G., see Vadiei, K. (57) 133
Luke, D.R., see Vadiei, K. (57) 125
Luke, D.R., see Vadiei, K. (57) 133

Marriott, C., see Wilkins, K.M. (57) 1
Martin, G.P., see Wilkins, K.M. (57) 1
Martín-Villodre, A., see Garrigues, T.M. (57) 189
Mazuel, C., see Rozier, A. (57) 163
Melia, C.D., see Davies, M.C. (57) 183
Montero, M.T., see Hernández, J. (57) 211
Morimoto, Y., see Seki, T. (57) 73
Mrhar, A., see Kristl, A. (57) 229
Müller, C.E., Daniel, P.T., Holzschuh, J. and Roth, H.J.
Lipophilic disulfide prodrugs – syntheses and disulfide bond cleavage (57) 41

Najib, N.M. and Suleiman, M.S.
The kinetics of dissolution of diflunisal and diflunisal-polyethylene glycol solid dispersion (57) 197
Nesbitt, J.D., see Wagner, D.L. (57) 177
Norman, S., see Washington, N. (57) 17
Novikov, D.K., see Kosykh, V.A. (57) 223

Ogawa, K., see Kaneo, Y. (57) 263
Ogawa, Y., see Iga, K. (57) 241

Pálsdóttir, G., see Loftsson, T. (57) 63
Paronen, P., see Pesonen, T. (57) 139
Paronen, P., see Sutinen, R. (57) 149
Paronen, P., see Sutinen, R. (57) 155
Peach, J.M., see Washington, N. (57) 17
Peppas, N.A. and Sahlin, J.J.
A simple equation for the description of solute release. III. Coupling of diffusion and relaxation (57) 169
Pérez-Buendía, M.D., see Garrigues, T.M. (57) 189
Perez-Soler, R., see Vadiei, K. (57) 125
Perez-Soler, R., see Vadiei, K. (57) 133
Pesonen, T., Paronen, P. and Ketolainen, J.
Disintegrant properties of an agglomerated cellulose powder (57) 139
Pignatello, R., see Giammona, G. (57) 55
Plá-Delfina, J.M., see Garrigues, T.M. (57) 189
Plazonnet, B., see Rozier, A. (57) 163
Podres, E.A., see Kosykh, V.A. (57) 223
Pugh, K., see Washington, N. (57) 17
Puglisi, G., see Giammona, G. (57) 55

Radebaugh, G.W., Babu, S.R. and Bondi, J.N.
Characterization of the viscoelastic properties of compacted pharmaceutical powders by a novel nondestructive technique (57) 95
Rao, M.N.A., see Kunchandy, E. (57) 173
Repin, V.S., see Kosykh, V.A. (57) 223
Robb, D.A., see Saleh, A.M. (57) 205
Roth, H.J., see Müller, C.E. (57) 41
Rozier, A., Mazuel, C., Grove, J. and Plazonnet, B.
Gelrite®: A novel, ion-activated, in-situ gelling polymer for ophthalmic vehicles. Effect on bioavailability of timolol (57) 163

Saab, A.N. and Sloan, K.B.
The effect of aminomethyl (N-Mannich base) derivatization on the ability of S^6-pivaloyloxymethyl-6-mercaptopurine prodrug to deliver 6-mercaptopurine through hairless mouse skin (57) 253
Sahlin, J.J., see Peppas, N.A. (57) 169

Sakane, T., Tanaka, C., Yamamoto, A., Hashida, M., Sezaki, H., Ueda, H. and Takagi, H.
The effect of polysorbate 80 on brain uptake and analgesic effect of D-kyotorphin (57) 77
Saleh, A.M., El-Khordagui, L.K., Robb, D.A. and Florence, A.T.
Effect of some drugs and additives on the cross-linking of bovine serum albumin by glutaraldehyde (57) 205
Scott, M.G., see Harron, D.W.G. (57) 9
Seki, T., Kawaguchi, T., Sugibayashi, K., Juni, K. and Morimoto, Y.
Percutaneous absorption of azidothymidine in rats (57) 73
Sezaki, H., see Sakane, T. (57) 77
Shanks, R.G., see Harron, D.W.G. (57) 9
Shimamoto, T., see Iga, K. (57) 241
Short, R.D., see Davies, M.C. (57) 183
Sloan, K.B., see Saab, A.N. (57) 253
Smirnov, V.N., see Kosykh, V.A. (57) 223
Spadaro , A., see Giammona, G. (57) 55
Stark, E., see Kendall, A.T. (57) 217
Sugden, J.K., see Kendall, A.T. (57) 217
Sugibayashi, K., see Seki, T. (57) 73
Suleiman, M.S., see Najib, N.M. (57) 197
Sutinen, R., Bilbao-Revoredo, O., Urtti, A. and Paronen, P.
Effect of sodium chloride on the mechanical and osmotic properties of silicone matrices (57) 155
Sutinen, R., Kovanen, A., Urtti, A. and Paronen, P.
Diffusion kinetics of alkyl *p*-aminobenzoates in silicone polymers and their release from silicone reservoir devices (57) 149

Takagi, H., see Sakane, T. (57) 77
Tanaka, C., see Sakane, T. (57) 77
Tanaka, T., see Kaneo, Y. (57) 263
Toguchi, H., see Iga, K. (57) 241

Ueda, H., see Sakane, T. (57) 77
Uekama, K., see Arima, H. (57) 107
Urtti, A., see Sutinen, R. (57) 149
Urtti, A., see Sutinen, R. (57) 155

Vadiei, K., Lopez-Berestein, G., Perez-Soler, R. and Luke, D.R.
In vitro evaluation of liposomal cyclosporine (57) 133
Vadiei, K., Perez-Soler, R., Lopez-Berestein, G. and Luke, D.R.
Pharmacokinetic and pharmacodynamic evaluation of liposomal cyclosporine (57) 125
Valls, O., see Hernández, J. (57) 211
Victorov, A.V., see Kosykh, V.A. (57) 223
Volgushev, S.A., see Kosykh, V.A. (57) 223

Wagner, D.L., Nesbitt, J.D., Conklin, J.D. and Hailey, F.J.
Absorption of orally, intraduodenally, and intraileally administered nitrofurantoin in man (57) 177
Washington, N., Wilson, C.G., Greaves, J.L., Norman, S., Peach, J.M. and Pugh, K.
A gamma scintigraphic study of gastric coating by Expidet, tablet and liquid formulations (57) 17
Watts, J.F., see Davies, M.C. (57) 183
Wilding, I.R., see Davies, M.C. (57) 183
Wilkins, K.M., Martin, G.P., Hanlon, G.W. and Marriott, C.
The influence of critical surface tension and microrugosity on the adhesion of bacteria to polymer monofilaments (57) 1
Williams, A.C. and Barry, B.W.
Essential oils as novel human skin penetration enhancers (57) R7
Wilson, C.G., see Washington, N. (57) 17

Yamamoto, A., see Sakane, T. (57) 77